

National Stock Exchange of India Limited

Circular

Department: Primary Market Segment	
Download Ref No: NSE/IPO/58275	Date: September 07, 2023
Circular Ref. No: 06/2023	

All Members,

Mock and Live bidding sessions for eIPO from Disaster Recovery (DR) site

The Exchange shall be conducting mock and live bidding sessions for eIPO from its Disaster Recovery (DR) site. The schedule for the same is given below:

Date	Sessions	Location & Configuration	Schedule & Instructions
September 09, 2023	Mock Session	Disaster Recovery (DR)	Annexure 1
September 11, 2023 to September 15, 2023	Live Session		-

Members may note that no changes are required to be made at their end for connecting to Primary/DR site and the same URL as mentioned below shall be used for – Mock and Live bidding session login.

URL : <https://eipo.nseindia.com/>

Important instructions for members:

- Kindly participate actively in the mock session to check the connectivity and to avoid login problems in live sessions from DR site.
- New/revised announcements with respect to mock bidding session on September 09, 2023 and live bidding session on September 11, 2023 to September 15, 2023 if any, shall be available on the website www.nseindia.com
- Bids from mock bidding session on September 09, 2023 shall not attract any obligation in terms of funds and securities.
- Mock (UAT) bidding platform shall not be available during mock bidding session on September 09, 2023, and live bidding session from September 11, 2023 to September 15, 2023.

For and on behalf of
National Stock Exchange of India Limited

Manjunath Gadiyar
Senior Manager

Toll Free No	Email id
1800 266 0050 – (Option 1)	msm@nse.co.in

Annexure - 1**NCB security parameters for Mock session and Market Timings**

Symbol	MCKGS
Series	GS
Company Name	Mock Govt Security
Type of Issue	G-sec
Market Lot	10000
Security Price	Rs. 100
Normal Market Open	10:15 hrs
Normal Market Close	13:30 hrs

Members are requested to note that order entry shall be available for mock bidding session from DR site.