



**ARABIAN
PETROLEUM LTD.**



AN ISO 9001:2015 / 14001:2015 / 45001:2018 CERTIFIED COMPANY

Manufacturer & Exporter of: 'SPL' & 'ARZOL' BRAND OF LUBRICANTS

Address: Plot 14-B, Morivali MIDC, Opp. Positive Packaging, Ambarnath (W), Dist.- Thane, Pin - 421505, Maharashtra, INDIA.

Date: 26/09/2025

To,
National Stock Exchange of India Limited
Exchange Plaza, Plot No. C/1, G Block,
Bandra Kurla Complex, Bandra East,
Mumbai-400051

Trading Symbol: ARABIAN

SUB: Disclosure of information under Regulation 30 of SEBI (LODR) Regulations 2015

Dear Sir/Madam,

In terms of Regulation 30 of the SEBI (LODR) Regulations, 2015, we would like to inform you that the Company has received the **Certificate of Accreditation** from **National Accreditation Board of Testing and Calibration Laboratories (NABL)** as general requirements for the competence of Testing & Calibration Laboratories.

This approval is a significant development for the Company and will enable us to enhance credibility.

Certificate of Accreditation is attached for your reference.

Thanking you.

Yours faithfully,

For Arabian Petroleum Limited

Manan Hemant Mehta
Wholetime Director
DIN: 05124747



National Accreditation Board for
Testing and Calibration Laboratories

CERTIFICATE OF ACCREDITATION

**QUALITY CONTROL LABORATORY, ARABIAN
PETROLEUM LIMITED**

has been assessed and accredited in accordance with the standard

ISO/IEC 17025:2017

**"General Requirements for the Competence of Testing &
Calibration Laboratories"**

for its facilities at

PLOT NO. 14/B, MORIVALI MIDC, AMBERNATH (WEST), THANE, MAHARASHTRA, INDIA

in the field of

TESTING

Certificate Number: TC-12317

Issue Date: 25/09/2025

Valid Until: 24/09/2029

This certificate remains valid for the Scope of Accreditation as specified in the annexure subject to continued satisfactory compliance to the above standard & the relevant requirements of NABL.

(To see the scope of accreditation of this laboratory, you may also visit NABL website www.nabl-india.org)

Name of Legal Entity: ARABIAN PETROLEUM LIMITED

Signed for and on behalf of NABL



Anuja Anand
Director

N. Venkateswaran
Chief Executive Officer



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :

QUALITY CONTROL LABORATORY, ARABIAN PETROLEUM LIMITED, PLOT NO. 14/B, MORIVALI MIDC, AMBERNATH (WEST), THANE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-12317

Page No 1 of 3

Validity 25/09/2025 to 24/09/2029

Last Amended on -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Testing				
1	CHEMICAL- LUBRICANTS	Automotive/ Marine Grade/ Specialties Lubricants	Cu Strip Corrosion Test	IS 1448 (Part 15)
2	CHEMICAL- LUBRICANTS	Automotive/ Marine Grade/ Specialties Lubricants	Specific Gravity at 15°C	ASTM D4052
3	CHEMICAL- LUBRICANTS	Automotive/ Marine Grade/ Specialties Lubricants	Specific Gravity at 29.5°C	ASTM D4052
4	CHEMICAL- LUBRICANTS	Grease	Consistency of Unworked Grease at 25°C	ASTM D217
5	CHEMICAL- LUBRICANTS	Grease	Consistency of Unworked Grease at 25°C	IS 1448 (Part 60)
6	CHEMICAL- LUBRICANTS	Grease	Consistency of Worked Grease at 25°C	ASTM D217
7	CHEMICAL- LUBRICANTS	Grease	Consistency of Worked Grease at 25°C	IS 1448 (Part 60)
8	CHEMICAL- LUBRICANTS	Grease	Drop Point	IS1448 (Part 52)
9	CHEMICAL- LUBRICANTS	Grease	Drop Point	ASTM D2265
10	CHEMICAL- LUBRICANTS	Grease	Four Ball Wear Scar Diameter	ASTM D2266
11	CHEMICAL- LUBRICANTS	Grease	Four Ball Weld Load	ASTM D2596
12	CHEMICAL- LUBRICANTS	Lubricating Oil	Cu Strip Corrosion Test	ASTM D130
13	CHEMICAL- LUBRICANTS	Lubricating Oil	Density at 15°C (Auto Densitometer)	ASTM D4052
14	CHEMICAL- LUBRICANTS	Lubricating Oil	Density at 15°C (by Hydrometer Method)	IS 1448 (Part 16)
15	CHEMICAL- LUBRICANTS	Lubricating Oil	Density at 15°C (by Hydrometer Method)	ASTM D1298
16	CHEMICAL- LUBRICANTS	Lubricating Oil	Emulsion Characteristics at 54 °C	IS 1448 (Part 91)
17	CHEMICAL- LUBRICANTS	Lubricating Oils	Foaming Characteristics Sequence - III	IS 1448 (Part 67)
18	CHEMICAL- LUBRICANTS	Lubricating Oils	Pour Point	IS 1448 (Part 10, Section 2)
19	CHEMICAL- LUBRICANTS	Lubricating Oils	Pour Point	ASTM D97
20	CHEMICAL- LUBRICANTS	Lubricating Oils	Total Base Number (TBN)	ASTM D2896
21	CHEMICAL- LUBRICANTS	Lubricating Oils	Acid Number (by Color-Indicator Titration)	ASTM D974
22	CHEMICAL- LUBRICANTS	Lubricating Oils	Appearance	WI - 01 (Issue No.: 01, Issue Date: 20.02.2023)
23	CHEMICAL- LUBRICANTS	Lubricating Oils	Ash Content	ASTM D482
24	CHEMICAL- LUBRICANTS	Lubricating Oils	Ash Content	IS 1448 (Part 4, Section 1)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :

QUALITY CONTROL LABORATORY, ARABIAN PETROLEUM LIMITED, PLOT NO. 14/B, MORIVALI MIDC, AMBERNATH (WEST), THANE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-12317

Page No 2 of 3

Validity 25/09/2025 to 24/09/2029

Last Amended on -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
25	CHEMICAL- LUBRICANTS	Lubricating Oils	Cold-cranking Simulator (CCS) at -10°C, -15°C, -20°C, -25°C, -30°C, -35°C	ASTM D5293
26	CHEMICAL- LUBRICANTS	Lubricating Oils	Colour (ASTM Scale)	ASTM D1500
27	CHEMICAL- LUBRICANTS	Lubricating Oils	Colour (ASTM Scale)	IS 1448 (Part 12)
28	CHEMICAL- LUBRICANTS	Lubricating Oils	Colour (Visual)	WI - 02 (Issue No.: 01, Issue Date: 20.02.2023)
29	CHEMICAL- LUBRICANTS	Lubricating Oils	Conradson Carbon Residue (CCR)	ASTM D189
30	CHEMICAL- LUBRICANTS	Lubricating Oils	Conradson Carbon Residue (CCR)	IS 1448 (Part 122)
31	CHEMICAL- LUBRICANTS	Lubricating Oils	Density at 29.5°C	ASTM D1298
32	CHEMICAL- LUBRICANTS	Lubricating Oils	Density at 29.5°C	ASTM D4052
33	CHEMICAL- LUBRICANTS	Lubricating Oils	Density at 29.5°C	IS 1448 (Part 16)
34	CHEMICAL- LUBRICANTS	Lubricating Oils	Emulsion Characteristics at 54°C	ASTM D1401
35	CHEMICAL- LUBRICANTS	Lubricating Oils	Emulsion Characteristics at 82 °C	ASTM D1401
36	CHEMICAL- LUBRICANTS	Lubricating Oils	Emulsion Characteristics at 82 °C	IS 1448 (Part 91)
37	CHEMICAL- LUBRICANTS	Lubricating Oils	Emulsion Stability	IS 1448 (Part 98)
38	CHEMICAL- LUBRICANTS	Lubricating Oils	Flash Point (COC)	ASTM D92
39	CHEMICAL- LUBRICANTS	Lubricating Oils	Flash Point (COC)	IS 1448 (Part 69)
40	CHEMICAL- LUBRICANTS	Lubricating Oils	Foaming Characteristics Sequence - I	IS 1448 (Part 67)
41	CHEMICAL- LUBRICANTS	Lubricating Oils	Foaming Characteristics Sequence - I	ASTM D892
42	CHEMICAL- LUBRICANTS	Lubricating Oils	Foaming Characteristics Sequence - II	ASTM D892
43	CHEMICAL- LUBRICANTS	Lubricating Oils	Foaming Characteristics Sequence - II	IS 1448 (Part 67)
44	CHEMICAL- LUBRICANTS	Lubricating Oils	Foaming Characteristics Sequence - III	ASTM D892
45	CHEMICAL- LUBRICANTS	Lubricating Oils	Four Ball Wear Scar Diameter	ASTM D4172
46	CHEMICAL- LUBRICANTS	Lubricating Oils	Four Ball Weld Load	ASTM D2783
47	CHEMICAL- LUBRICANTS	Lubricating Oils	Frothing Characteristics	IS 1448 (Part 99)
48	CHEMICAL- LUBRICANTS	Lubricating Oils	Kinematic Viscosity at 100°C	ASTM D445
49	CHEMICAL- LUBRICANTS	Lubricating Oils	Kinematic Viscosity at 100°C	ASTM D7042

This is annexure to 'Certificate of Accreditation' and does not require any signature.



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :

QUALITY CONTROL LABORATORY, ARABIAN PETROLEUM LIMITED, PLOT NO. 14/B, MORIVALI MIDC, AMBERNATH (WEST), THANE, MAHARASHTRA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-12317

Page No 3 of 3

Validity 25/09/2025 to 24/09/2029

Last Amended on -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
50	CHEMICAL- LUBRICANTS	Lubricating Oils	Kinematic Viscosity at 100°C	IS 1448 (Part 25, Section 1)
51	CHEMICAL- LUBRICANTS	Lubricating Oils	Kinematic Viscosity at 40°C	ASTM D445
52	CHEMICAL- LUBRICANTS	Lubricating Oils	Kinematic Viscosity at 40°C	ASTM D7042
53	CHEMICAL- LUBRICANTS	Lubricating Oils	Kinematic Viscosity at 40°C	IS 1448 (Part 25, Section 1)
54	CHEMICAL- LUBRICANTS	Lubricating Oils	Sulphated Ash	ASTM D874
55	CHEMICAL- LUBRICANTS	Lubricating Oils	Sulphated Ash	IS 1448 (Part 4, Section 2)
56	CHEMICAL- LUBRICANTS	Lubricating Oils	Total Acid Number (TAN)	ASTM D664
57	CHEMICAL- LUBRICANTS	Lubricating Oils	Total Acid Number (TAN)	IS 1448 (Part 2)
58	CHEMICAL- LUBRICANTS	Lubricating Oils	Total Base Number (TBN)	IS 1448 (Part 86)
59	CHEMICAL- LUBRICANTS	Lubricating Oils	Viscosity Index	ASTM D2270
60	CHEMICAL- LUBRICANTS	Lubricating Oils	Viscosity Index	IS 1448 (Part 56)
61	CHEMICAL- LUBRICANTS	Lubricating Oils	Water Content	ASTM D95
62	CHEMICAL- LUBRICANTS	Lubricating Oils	Water Content	IS 1448 (Part 40)