



Date: September 11, 2020

To,
National Stock Exchange of India Limited
Exchange Plaza,
Plot No. C/1, G-Block,
Bandra-Kurla Complex,
Bandra (E), Mumbai – 400 051

Symbol: MHHL

Sub: Intimation of Grant of BIS Product Certification Licence No. 8200112392 as per IS 9473:2002 from Bureau of Indian Standards, Bhopal.

Ref: Intimation pursuant to Regulation 30 of SEBI (LODR) Regulations, 2015

Respected Sir/Madam,

Pursuant to provisions of Regulation 30 read with Para A of Part A of Schedule III of the SEBI (LODR) Regulations, 2015, as amended from time to time, we hereby inform that the Company has been granted BIS Product Certification **Licence** No. 8200112392 dated 10th September, 2020 from Bureau of Indian Standards, Bhopal.

Certificate is attached as an Annexure 1

Kindly take the above on your records and oblige us.

Yours faithfully,
FOR, MOHINI HEALTH & HYGIENE LIMITED

Arnika Jain
Digitally signed
by Arnika Jain
Date: 2020.09.11
19:18:21 +05'30'

Arnika Jain
Company Secretary



भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS भोपाल
Bhopal Branch Office

पता भोपाल शाखा कार्यालय | मानकलाया, ई-5 अरेरा
Address: कॉलोनी | बितन मार्केट | भोपाल - 462016
Mankalaya, E-5 Arera Colony
Bitten Market-Bhopal | 462016
दूरभाष 0755-2423449, 2423452, 2423454,
2420493, 2442550
फैक्स Fax: 0755-2423451
ई-मेल bplbo@bis.org.in, bpbo@bis.gov.in
वेब web : <http://www.bis.org.in>, www.manakonline.in

Speed Post

Our Ref: बीपीबीओ /एल - 8200112392

Dated: 10 / 9 / 2020

Subject: Grant of BIS Product Certification Licence No.- 8200112392 as per IS 9473:2002

मेसर्स मोहिनी हेल्थ एण्ड हाइजीन लिमिटेड,
प्लॉट न. 109, सेक्टर न. 3, इंडस्ट्रियल एरिया,
पीथमपुर, धार- 454774, मध्य प्रदेश,

Dear Madam(s)/Sir(s),

With reference to your application, we are pleased to inform you that the Certification Marks Licence has been granted to you to use the Standard Mark in respect of the followings:

Product:- Respiratory Protective Devices –Filtering Half Masks to Protect Against Particles
Varieties: Class - FFP1 and FFP2, Sub-Class - S (Solid), Type - without valves & for single use only, Clogging- Without resistance to clogging.

IS 9473:2002

The licence is granted on the explicit condition that you will mark entire/substantial production which conforms to the Indian Standards.

2. The number assigned to this Licence is **CM/L- 8200112392** which has been made operative from **31/Aug/2020** and is valid up to **30/Aug/2021**. The licence number shall invariably be referred to in your future correspondence.

According to Sub-Paragraph (1) & (3) of Paragraph 5 of Scheme-I of Schedule-II under Bureau of Indian Standards (Conformity Assessment) Regulations, 2018, the annual licence fee of Rs.1000.00 and the marking fee for use of Standard Mark as per Annexure-I of Scheme-I of BIS (Conformity Assessment) Regulations, 2018 is payable by you with effect from **31/Aug/2020** for the period of validity of the licence in advance.

3. Minimum Marking fee stipulated in Annexure-I of Scheme-I of BIS (Conformity Assessment) Regulations, 2018 is payable by you regardless of the fact whether you actually mark your product or not with the Standard Mark. Our Receipt No.**R/ 0082PC2020000955** dated **31/Aug/2020** for the licence fee and the minimum marking fee for the first operative period is already *issued.

4. This advance minimum marking fee will be carried over to the next year on every renewal. The actual marking fee calculated on the unit rate on the production marked or the minimum marking fee, whichever is higher, shall be payable by you at the time of renewal.

5. With a view to streamlining the reporting of quantity marked, calculation and collection of marking fee on the unit rate basis, fees will be calculated on the production marked during the first nine months of operation of the licence at the time of first renewal, and on the production marked during twelve months comprising the last three months of the previous operative year and the first nine months of the current operative year, at the time of the second and subsequent renewals. In case the licence expires, the entire production marked till the expiry date shall be taken into account for calculating the marking fee payable.


6. The Scheme of Inspection and Testing (SIT) submitted by you and agreed by BIS or the Scheme of Inspection and Testing as Specified by BIS (Doc: PM/IS 9473/3/ June 2020 Dtd. 13/Aug/2020 will have to be implemented by your organization strictly and completely. This supervision of the operation of the Scheme shall be done by a person responsible for the quality control function in your organization. Kindly inform us the name and designation of the person who will be held responsible for the operation and maintenance of the Scheme. Any future change in this respect will have to be communicated by you to us as and when these take place.

7. We are enclosing a sheet giving the preferred dimensions of the Standard Mark to enable you to prepare the designs of the Standard Mark for marking the above product Photographic reduction in any size is permissible. This will ensure the relative proportions of the different dimensions maintained. Preferred dimensions be used as far as possible.

8. On commencement of marking of your product for which you are licensed, you may advertise your product with Standard Mark in various media only during the validity of your licence. The use of Standard Mark on letterheads and publicity literature will be permitted only on receipt of your assurance that in the event of cancellation or lapsing of your licence, the Standard Mark on your letterheads, publicity literatures etc. will be destroyed/obliterated.

9. This licence is granted for your manufacturing premises situated at प्लाट न. 109, सेक्टर न. 3, इंडस्ट्रियल एरिया, पीथमपुर, धार- 454774, मध्य प्रदेश, Privileges under the licence shall not be exercised by any other firm company/factory etc. This licence is not transferable in the event of shifting the manufacturing and testing equipment from the licensed premises to some other place, use of Standard Mark shall be stopped till the new premises are inspected and found to be satisfactory by BIS in respect of manufacturing and testing facilities available there and the address of the new premises is endorsed in the licence.

Thanking you,

भवदीय

(प्रीति भटनागर)
वैज्ञानिक एफ एवं प्रमुख

Encl: As above.

भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS
मानक चिन्ह के उपयोग के लिए अनुज्ञप्ति
Licence for the use of STANDARD MARK

लाइसेंस सं. सीएम/एल - 8200112392
Licence No. CM/L - 8200112392

यह ब्यूरो, भारतीय मानक ब्यूरो अधिनियम, 2016 (2016 का 11) द्वारा प्रदत्त शक्तियों के आधार पर

मेसर्स मोहिनी हेल्थ एण्ड हाइजीन लिमिटेड,
प्लॉट नं. 109, सेक्टर नं. 3, इंडस्ट्रियल एरिया,
पीथमपुर, धार- 454774, मध्य प्रदेश,

को (जिसे इसमें आगे अनुज्ञप्तिधारी कहा गया है) इसकी प्रथम अनुसूची के पहले स्तंभ में विनिर्दिष्ट मानक चिन्ह का, इस अनुसूची के तीसरे स्तंभ में दी गई किस्मों पर, उपयोग करने के लिए यह अनुज्ञप्ति प्रदान करता है। इन उत्पादित किस्मों पर चिन्ह का उपयोग उक्त अनुसूची के द्वितीय स्तंभ में समय-समय पर संशोधित अथवा पुनरीक्षित/संदर्भित संबद्ध भारतीय मानक(मानकों) के अनुसार/अनुरूप विनिर्मित हो।

By virtue of the power conferred on it by the BUREAU OF INDIAN STANDARDS ACT, 2016 (11 of 2016) the BUREAU hereby grants to

M/s Mohini Health & Hygiene Limited,
Plot No 109, Sector No 3, Industrial Area,
Prithampur, Dhar- 454774, Madhya Pradesh,

(hereinafter called 'the Licensee') this Licence to use the Standard Mark set out in the first column of the Schedule hereto, upon or in respect of the varieties set out in the third column of the said Schedule which is manufactured in accordance with//conforms to the related Indian Standard(s) referred to in the second column of the said Schedule as from time to time amended or revised.

2. इस अनुज्ञप्ति में अनुबंध अनुज्ञप्ति की शर्तों के लिए अनुज्ञप्तिधारी उत्तरदायी है। यह अनुज्ञप्ति अनुसूची में यथा-उल्लिखित नाम, कारखाना के पते और अवधि के लिए विधिमान्य होगा और इसे स्कीम-I में निर्दिष्टानुसार नवीकृत कराया जा सकता है।

2. This Licence carries obligations on part of the licensee as conditions of licence which are given in Annexure attached herewith. This licence shall be valid for the name, factory address and period as mentioned in the schedule and may be renewed as specified in the Scheme-I.

अनुसूची
SCHEDULE
अनुज्ञप्ति सं. सीएम/एल - 8200112392
LicenceNo.CM/L-8200112392

नाम : मेसर्स मोहिनी हेल्थ एण्ड हाइजीन लिमिटेड,
कारखाने का पता : प्लॉट न. 109, सेक्टर न. 3, इंडस्ट्रियल एरिया, प्रीथमपुर, धार- 454774, मध्य प्रदेश,

Name : : M/s Mohini Health & Hygiene Limited
Factory Address : Plot No 109, Sector No 3, Industrial Area, Prithampur, Dhar- 454774, Madhya Pradesh,

विधिमान्यता : इक्कीस अगस्त दो हजार बीस से तीस अगस्त , दो हजार ईक्कीस तक
Validity from : Thirtyone August Two Thousand and Twenty to Thirty August Two Thousand and Twentyone.

मानक चिन्ह Standard Mark	भारतीय मानक Indian Standard	अनुज्ञप्ति का विषय क्षेत्र Scope of Licence	चिह्नांकन फीस Marking Fee
(1)	(2)	(3)	(4)
IS 9473 	भा मा 9473:2002 श्वसन संरक्षी युक्तियाँ -कण सुरक्षा के लिए फ़िल्टरिंग हाफ मास्क- - विशिष्ट IS 9473:2002 Respiratory Protective Devices -Filtering Half Masks to Protect Against Particles For Specification	क्लास - एफएफपी 1 और एफएफपी 2, सब क्लास - एस (ठोस), टाइप - बिना वाल्व और एकल उपयोग के लिए, क्लॉगिंग- क्लॉगिंग के प्रतिरोध के बिना। Class - FFP1 and FFP2, Sub-Class - S (Solid), Type - without valves & for single use only, Clogging- Without resistance to clogging.	रूपये 17.2/- प्रति इकाई सभी इकाईयों के लिए एक वर्ष की प्रचालन अवधि के दौरान न्यूनतम मुहरांकन फीस रुपये 46,000/- के साथ। इकाई = 100 पीस एक प्रचालन वर्ष के लिए न्यूनतम चिह्नांकन शुल्क अग्रिम में देय होगी और जो अगले नवीकरण में अग्रणीत होगी। Rs. 17.2/- per unit for all the units with a minimum marking fee of Rs. 46,000/- during an operative period of one year Unit = 100 Piece Minimum marking fee for one operative year payable in advance which will be carried over to next renewal(s)

आज वर्ष दो हजार बीस के 12 माह की 25 तारीख को हस्ताक्षरित मुहरबंद किया गया।
Signed Sealed and Dated this.....25..... day of September..... Month of year...
TWO THOUSAND TWENTY

भारतीय मानक ब्यूरो के लिए
for BUREAU OF INDIAN STANDARDS


(प्रीति भटनागर)

प्रीति भटनागर
Preeti Bhatnagar
वैज्ञानिक प्रमुख
Scientific Head

उपाबंध
(अनुज्ञप्ति सं. सीम/एल- 8200112392)

अनुज्ञप्ति की शर्तें

1. मानक चिन्ह का डिजाईन अनुज्ञप्ति में दी गई गई प्रतिकृति के आनुषंगिक होगा
2. मानक चिन्ह के फोटोग्राफिक विस्तार अथवा लघुकरण का उपयोग भी किया जा सकता है जब तक ब्यूरो द्वारा कोई अन्य विनिर्दिष्ट न दिए गए हों
3. अनुज्ञप्तिधारी उस संबंध माल, वस्तुओं, प्रक्रिया, प्रणाली अथवा सेवा की भारतीय मानक के अनुसार अनुरूपता के लिए उत्तरदायी होगा जिसके लिए मानक चिन्ह का उपयोग अथवा अनुप्रयोग किया गया है
4. अनुज्ञप्तिधारी उस माल, वस्तुओं, प्रक्रिया, प्रणाली अथवा सेवा के लिए मानक चिन्ह का उपयोग नहीं करेगा जो गैर-अनुरूप अथवा अनुज्ञप्ति के विषय- क्षेत्र से बाहर है
5. जिस माल और वस्तुओं के लिए मानक चिन्ह का उपयोग किया गया है अगर वे संबंध मानक की अपेक्षाओं के अनुरूप नहीं है, तो ब्यूरो अनुज्ञप्तिधारी अथवा उसके प्रतिनिधि को ऐसे गैर-अनुरूपता वाले माल को वापिस लेने का निदेश दे सकता है
6. अनुज्ञप्ति के आस्थगन अथवा निलंबन के दौरान अथवा उसकी समाप्ति अथवा रद्द होने के पश्चात् किसी संबंध माल, वास्तु, प्रक्रिया, उपयोग अथवा सेवा के लिए मानक चिन्ह का उपयोग अथवा अनुप्रयोग नहीं किया जाएगा
7. अनुज्ञप्ति को उस अनुरूपता आकलन योजना के उपाबंधों का पालन करना होगा जिसके अंतर्गत उसे अनुज्ञप्ति प्रदान किया गया है जिसमें लेबलिंग और चिन्हांकान अपेक्षाएं भी शामिल है
8. अनुज्ञप्ति ब्यूरो द्वारा समय-समय पर यथा-विनिर्दिष्ट अभिलेख अनुरक्षित रखेगा
9. अनुज्ञप्ति अपने परिसरों में निरीक्षण अथवा लेखापरीक्षा करने से सम्बंधित सभी प्रकार की सहायता ब्यूरो को उपलब्ध कराएगा
10. अनुज्ञप्ति उत्पाद और मानक चिन्ह के उपयोग अथवा अनुप्रयोग से सम्बंधित जानकारी जब अपेक्षा ब्यूरो को प्रदान करेगा
11. यदि माल अथवा वस्तुओं पर मानक चिन्ह का उपयोग अथवा अनुप्रयोग के लिए अनुज्ञप्ति प्रदान किया गया हो तो अनुज्ञप्तिधारी को उन परेषिती, वितरकों, व्याहारी अथवा फुटकर विक्रेता की सूची देनी होगी, जिनको मानक चिन्ह वाले माल अथवा वस्तुओं की आपूर्ति की गई है
12. ब्यूरो के अनुमोदन के बिना अनुज्ञप्ति किसी व्यक्ति को अंतरित नहीं किया जाएगा
13. मानक चिन्ह वाले किसी माल, वस्तुओं, प्रक्रिया, प्रणाली अथवा सेवा से सम्बंधित शिकायत प्रमाणित होने पर ब्यूरो अनुज्ञप्तिधारी अथवा उसके प्रतिनिधि को मानक मुहरांकित माल और वस्तुओं की मरम्मत अथवा बदलने अथवा पुननिर्माण के निर्देश दे सकता है
14. अनुज्ञप्तिधारी को कम से कम एक माह के नोटिस से कर ब्यूरो, अनुज्ञप्ति की किसी शर्त को संशोधन का अधिकार रखता है

Annexure
(Licence No. CM/L- 8200112392)

Conditions of the Licence

1. The design of Standard Mark shall be identical to the facsimile given in the licence.
2. The photographic enlargement or reduction of the Standard Mark may also be used. Unless otherwise specified by the Bureau.
3. The licensee shall be responsible for the conformity of the goods, articles, process, system or service to the Indian Standard in relation to which Standard Mark is used or applied.
4. The licensee shall not use the Standard Mark in relation to goods, articles, process, system or service which are non-conforming or outside the scope of the licence.
5. If goods and articles in relation to which a Standard Mark has been used do not conform to the requirements of the relevant standard, the Bureau may direct the licensee or his representative to recall such non-conforming goods.
6. The Standard Mark shall not be used or applied in relation to any goods, articles, process, system or service during deferment or suspension, or, after expiry or cancellation of the licence.
7. The licensee shall comply with the provisions of the conformity assessment scheme under which licence is granted, including labeling and marking requirements.
8. The licensee shall maintain records as specified by the Bureau from time to time.
9. The licensee shall provide the Bureau all assistance in connection with carrying out inspection or audit at its premises.
10. The licensee shall provide information relating to production and use or applying of Standard Mark as and when it is required by the Bureau.
11. If the licence is granted to use or apply Standard Mark on goods or articles, the licensee shall provide the list of consignees, distributors, dealers or retailers to whom goods or articles with Standard Mark is supplied.
12. The licence shall not be transferred to any person without approval of the Bureau.
13. If a complaint regarding quality of any goods, articles, process, system or service bearing Standard Mark is established, the Bureau may direct the licensee or his representative to repair or replace or reprocess the standard marked goods and articles.
14. The Bureau shall have the right to amend any of the conditions of licence by giving a notice of not less than one month to the licensee.