

CSL/2018-19/224
July 26, 2018



<p>BSE Limited Corporate Relationship Department 1st Floor, New Trading Ring Rotunda Building, P J Towers Dalal Street, Fort Mumbai - 400 001. Scrip Code :532443 Scrip ID:CERASAN Fax:<u>022-22722039/2061/2041/2037/3121</u></p>	<p>National Stock Exchange of India Limited Exchange Plaza Bandra Kurla Complex Bandra (East) Mumbai - 400 051 Scrip Code : CERA Fax: <u>022-26598237/38 or 022-26598347/48</u></p>
---	--

Dear Sirs,

Sub: Board Meeting

Pursuant to Regulation 29 of SEBI (Listing Obligations and Disclosure Requirements) Regulations, 2015 and any other applicable SEBI Regulations, this is to inform you that a meeting of Board of Directors of the Company will be held on Thursday, the 9th day of August, 2018 at Kolkata, for considering inter-alia the Unaudited Financial Results for the quarter ended 30.06.2018. Further, the company will prepare and submit to the Stock Exchanges only standalone financial results and will not submit consolidated financial results in the financial year 2018 - 19.

In terms of the Code of Insider Trading Regulations of the Company, it is hereby informed that the TRADING WINDOW for dealing in the Company's Securities shall remain closed from 27th July, 2018 to the date of board meeting i.e. 9th August, 2018 and 48 hours thereafter, for the promoters, directors, senior managerial personnel and other connected persons of the Company and the Trading Window will reopen on 12th August, 2018.

We hope you will find the same in order and take necessary action in the matter.

Thanking you,

Yours faithfully,
For Cera Sanitaryware Limited,

Narendra N. Patel
President & Company Secretary

Cera Sanitaryware Limited

Sales & Marketing Office: Madhusudan House, Opp. Navrangpura Telephone Exchange, Navrangpura, Ahmedabad 380 006
Tel: +91 79 26449781, 26449789 Fax: +91 79 26569259 Email: marketing@cera-india.com www.cera-india.com

Registered Office & Works: 9, GIDC Industrial Estate, Kadi 382715, District Mehsana, North Gujarat

CIN: L26910GJ1998PLC034400