



**RAJRATAN**  
OUTPERFORM

INDIA | THAILAND

www.rajratan.co.in



23<sup>rd</sup> February, 2026

<b>To</b> <b>BSE Limited</b> <b>Phiroze Jeejeebhoy Towers</b> <b>Dalal Street</b> <b>Mumbai 400001</b> <b>Scrip Code – 517522</b>	<b>To</b> <b>National Stock Exchange of India Limited</b> <b>‘Exchange Plaza’, C-1, Block G,</b> <b>Bandra Kurla Complex,</b> <b>Bandra (E), Mumbai – 400 051</b> <b>Symbol - RAJRATAN</b>
--	---

**Subject – Intimation of Analyst / Institutional Investor Meeting**

Dear Sirs,

Pursuant to Regulation 30 of the SEBI (Listing Obligations and Disclosure Requirements) Regulations, 2015, we hereby inform that the management of the Company shall be interacting with Analyst / Institutional Investor as under –

<b>Date of meeting</b>	<b>Interaction with Analyst / Institutional Investor</b>	<b>Type of meeting</b>
26 <sup>th</sup> February, 2026	PMS	1X1, Virtual

Discussions will be based on publicly available information. Please note that no Unpublished Price Sensitive information will be shared during the meeting. The Investor Presentation for the period Q3 FY26, is already in the public domain and is available on the Company's and the Stock Exchanges' website. The said presentation would be used in the meeting

We request you to take this on record, and to treat the same as compliance with the applicable provisions of the Listing Regulations. The aforesaid information is also being placed on the website of the Company.

The meeting is subject to changes in case of exigencies if any on part of Company/Investors.

Kindly take the same on your records.

Thanking You,  
Yours Faithfully  
For **Rajratan Global Wire Limited**

**Shubham Jain**  
**Company Secretary & Compliance Officer**

RAJRATAN GLOBAL WIRE LIMITED

Regd. Office: Rajratan House, 11/2, Meera Path, Dhenu Market, Indore-452003, Madhya Pradesh, India. Tel.: +91-731-2546401  
Factory: 200-B, Sector-1, Pithampur-454775, Dist. Dhar, Madhya Pradesh, India. Tel.: +91-7292-253429, 253375

Email : investor.cell@rajratan.co.in CIN No. L27106MP1988PLC004778