(Formerly Known as Renol Polychem Private Limited)

Registered Office: 305 Sanskar, Heights Nr Ra, circle, 150 Ft Ring Rd, Mavdi, Rajkot, Gujarat, India, 360004 CIN: U22209GJ2024PLC147599 | Email Id: renolpolychem@gmail.com / Contact No. 9909281092

Date: 29.10.2025

To

National Stock Exchange of India Limited "Exchange Plaza" Bandra-Kurla Complex, Bandra (E) Mumbai- 400051

Stock Symbol: RNPL

Subject: Intimation under Regulation 30 of SEBI LODR Regulations, 2015- Purchase of Machineries for the business of Company as per the Objects of the Public Issue

Dear Sir,

Pursuant to Regulation 30 of the SEBI LODR Regulations, 2015, we wise to inform you that in pursuant to the Objects of the Public Issue, our Company is proud to announce that we have purchased 3 machineries having different ton capacity for expansion of its capacity and for serving quality products to its customers

Details of machines purchased by the Company is as follows:

Sr. No.	Machine Photo	Usage		
		Technical Specification:		
		Particulars	Size in MM	
1.		Screw Diameter	80	
		Shot Weight (PS)	1100	
		Nozzle Stroke	350	
		Heating Zone	6	
		Mold Opening Stroke	700 mm	
		Tie Bar Distance	765 x 765 mm 30"X30"	
	24 Oct 2026, 1/04 pm	Ejector Stroke	200	
		Assembly Det	tails:	
		Servo Motor	Pump	

(Formerly Known as Renol Polychem Private Limited)
Registered Office: 305 Sanskar, Heights Nr Ra, circle, 150 Ft Ring Rd, Mavdi, Rajkot, Gujarat, India, 360004 CIN: U22209GJ2024PLC147599 | Email Id: renolpolychem@gmail.com / Contact No. 9909281092



PLC Erico - 8" inch
Screen
06 Valve - Rex Roth
Hydro Motor - Radial
Piston
Heater - Ceramic
Lubrication - Automatic
Oil Tank - 600 LTR
Motor – 50 HP

Specification

400 TON **PLASTIC** INJECTION **MOLDING** MACHINE (400)TON SERVO MOTOR FULLY AUTOMATIC **MICRO** PROCESS CONTROL

3.



Technical Specification:

Particulars	Size in
	MM
Screw	65
Diameter	
Shot Weight	700
(PS)	
Nozzle	300
Stroke	
Heating	5
Zone	
Mold	600 mm
Opening	
Stroke	
Tie Bar	665 X 665
Distance	mm 26" X
	26"
Ejector	150
Stroke	

Assembly Details:

Servo Motor Pump			
PLC Erico	- 8"	inch	
Screen			
04 Valve - R	ex Roth	ı	
Hydro Mot	or -]	Radial	
Piston			

(Formerly Known as Renol Polychem Private Limited)

Registered Office: 305 Sanskar, Heights Nr Ra, circle, 150 Ft Ring Rd, Mavdi, Rajkot, Gujarat, India, 360004 CIN: U22209GJ2024PLC147599 | Email Id: renolpolychem@gmail.com / Contact No. 9909281092

	Heater - Ceramic
	Lubrication - Automatic
Γ	Oil Tank - 500 LTR
Γ	Motor -30KW

300 TON SERVO PLASTIC INJECTION MOULDING MACHINE (300 TON SERVO MOTOR FULLY AUTOMATIC MICRO PROCESS CONTROL SYSTEM

4.



Technical Specification:

Particulars	Size in
	MM
Screw	50
Diameter	
Shot Weight	400
(PS)	
Nozzle	250
Stroke	
Heating	4
Zone	
Mold	400 mm
Opening	
Stroke	
Tie Bar	485 x 485
Distance	mm
	19"X19"
Ejector	110
Stroke	

Assembly Details:

Servo Motor Pump
PLC Erico - 8" inch
Screen
04 Valve - Rex Roth
Hydro Motor - Radial
Piston
Heater - Ceramic
Lubrication - Automatic
Oil Tank - 350 LTR
Motor - 20KW

(Formerly Known as Renol Polychem Private Limited)

Registered Office: 305 Sanskar, Heights Nr Ra, circle, 150 Ft Ring Rd, Mavdi, Rajkot, Gujarat, India, 360004 CIN: U22209GJ2024PLC147599 | Email Id: renolpolychem@gmail.com / Contact No. 9909281092

	180	TON	PLASTIC
	INJEC	TION	MOLDING
	MACI	HINE	(180 TON
	SERV	OM C	OR MICRO
	PROC	ESS	CONTROI
	FULL	Y AUTC	MATIC

Usage of Plastic Injection Moulding Machines: Such machines are used for mass production of identical plastic parts in a wide range of industries, including automotive, aerospace, medical, consumer goods, and electronics. They work by melting plastic pellets and injecting the molten material into a mold, where it cools and solidifies to form a finished product. This process is ideal for creating high-volume, consistent parts with complex shapes.

This disclosure is made in compliance with the applicable SEBI (LODR) Regulations.

You are requested to take the same on your records.

Thanking You

For Renol Polychem Limited

Bhaveshbhai Mansukhbhai Harsoda

Managing Director DIN: 09236516