



**VIJAYA
DIAGNOSTIC
CENTRE**

October 18, 2025

The Listing Department
National Stock Exchange of India Limited
NSE Symbol: VIJAYA

The Corporate Relations Department
BSE Limited
BSE Scrip code: 543350

Dear Sir/Madam,

Sub: “Resignation of Chief Technology Officer (Senior Management Personnel)”

Ref: Intimation under Regulation 30 of SEBI (Listing Obligations and Disclosure Requirements) Regulations, 2015 (“Listing Regulations”)

With respect to the above mentioned, we hereby inform that **Mr. Srinivas Lanka, Chief Technology Officer (“CTO”)** of the Company who also forms part of the Senior Management has resigned from the services of the Company due to personal reasons. His last date with the Company would be **November 15, 2025**. The Company places on record its deep sense of appreciation for the services rendered by him and for his contributions to the company.

The detailed disclosure as required under Regulation 30 of the Listing Regulations read with SEBI Master Circular No. SEBI/HO/CFD/PoD-1/P/CIR/2024/0154 dated 11th November 2024 is enclosed as **Annexure-A**.

Further, the notice of resignation received via e-mail from Mr. Srinivas Lanka is also attached as **Annexure-B**.

Please take the information on record. Thanking you.

Yours faithfully,
For Vijaya Diagnostic Centre Limited

Hansraj Singh
Company Secretary & Compliance Officer
M. No. F11438

Encl.: as above



Annexure – A

The details as required under Regulation 30 and Schedule III of SEBI (Listing Obligations and Disclosure Requirements) Regulations, 2015 read with SEBI Master Circular No. SEBI/HO/CFD/PoD-1/P/CIR/2024/0154 dated 11th November, 2024:

Particulars	Mr. Srinivas Lanka has resigned from the position of Chief Technology Officer (CTO) of the Company
Reason for change viz. appointment, resignation, removal, death or otherwise	Resignation due to personal reasons
Date of appointment / re-appointment /cessation (as applicable) & term of appointment / re-appointment	15 th November 2025
Brief Profile	Not Applicable
Disclosures of relationships between directors	Not Applicable



Resignation from the position of Chief Technology Officer (CTO) - Vijaya

From Srinivas Lanka <[REDACTED]>
 Date Sat 10/18/2025 1:59 PM
 To Suprita Reddy <[REDACTED]>
 Cc Head HR <[REDACTED]>; Hansraj Singh <[REDACTED]>; Venkata Siva Rama Raju Vegesna <[REDACTED]>

To
Ms. S. Suprita Reddy
 Managing Director & CEO
 Vijaya Diagnostic Centre Limited
 6-3-883/F, FPA Building, Near Topaz building,
 Punjagutta, Hyderabad, Telangana - 500082

Subject: Resignation from the position of Chief Technology Officer (CTO) of the Company

Dear Ma'am,

After thoughtful consideration, I have decided to resign from my position as Chief Technology Officer at Vijaya Diagnostic Centre Limited, effective on or before **November 15, 2025**.

This decision comes as I prepare to pursue a new professional opportunity aligned with my long-term career growth and development goals. It has been a privilege to be a part of Vijaya, and I am truly grateful for the opportunities, support, and trust extended to me by the management and team during my tenure.

I remain committed to ensuring a smooth and seamless transition over the coming weeks and will do my best to hand over responsibilities effectively.

Thank you once again for the enriching experience and the valuable relationships I've built here. I wish Vijaya continued success and growth in the years ahead.

Warm regards,

Srinivas Lanka
Chief Technology Officer

	VIJAYA DIAGNOSTIC CENTRE			VIJAYA PH DIAGNOSTIC CENTRE
Follow Us:     www.vijayadiagnostic.com				
				
Years of Experience	State-of-the-art Equipment & Best in Class Technology	Diagnostic Centres	Cities and Towns in Telangana, AP, NCR, Kolkata, Karnataka & Maharashtra	Home Sample Collection

CONFIDENTIALITY INFORMATION & DISCLAIMER: This communication being sent by the offices of Vijaya Diagnostic Centre Limited (VDCL) is privileged and confidential and is directed to and for the use of the addressee only. If this message reaches anyone other than the intended recipient, we request the reader not to reproduce, copy, disseminate or in any manner distribute it. We further request such recipient to notify us immediately by return email and delete the original message. VDCL does not guarantee the security of any information transmitted electronically and is not liable for the proper, timely and complete transmission thereof. Opinions, conclusions and other information in this communication that do not relate to the official business of VDCL are neither given nor endorsed by it.