

# MARKET FEED Capital Market (CM) Real Time Snapshot Data

Version:1.29

**Date:** 16 June 2025

NSE DATA & ANALYTICS LIMITED EXCHANGE PLAZA, PLOT NO. C/1, G BLOCK, BANDRA-KURLA COMPLEX, BANDRA (E), MUMBAI 400 051. INDIA

© 2025 National Stock Exchange India Limited. All rights reserved.



## **COPYRIGHT NOTICE**

All rights reserved. No part of this document may be reproduced or transmitted in any form and by any means without the prior permission of NSE Data & Analytics Ltd.



# **Revision History**

Name	Description	Date
Version 1.0	New Specification issued	31 March 2015
Version 1.1	Addition of a new Index	12 June 2015
Version 1.2	Index name renamed	29 September 2015
Version 1.3	15-Min Delayed product details added	06 November 2015
Version 1.4	Addition of 10 New Indices and Indices renamed	08 March 2016
Version 1.5	Addition of 4 New Indices	31 January 2018
Version 1.6	Index renamed	22 March 2018
Version 1.7	Index renamed	03 July 2018
Version 1.8	Addition of 5 New Indices	04 January 2019
Version 1.9	Addition of 2 New Indices	06 August 2020
Version 1.10	Addition of 2 New Indices	30 September 2020
Version 1.11	Addition of 5 New Indices	03 August 2021
Version 1.12	Field Name changed from Warning Percent to Settlement Cycle in Security Information	21 December 2021
Version 1.13	Addition of 7 new indices	08 January 2022
Version 1.14	Added the note regarding Inclusion of Dummy symbols in MBP file	25 November 2022
Version 1.15	Increased token number range from short to long	23 August 2023
Version 1.16	Addition of 2 Dummy Indices	20 October2023
Version 1.17	Addition of 2 New Indices	12 January 2024
Version 1.18	<ol> <li>Addition in Note of T+0 definition in settlement cycle field for Security information</li> <li>Removal in Note of T+2 definition in settlement cycle field for Security information</li> </ol>	18 March 2024
Version 1.19	Addition of 4 New Indices	28 March 2024
Version 1.20	Increased total traded quantity range from long to unsigned long	24 April 2024



Version 1.21	<ol> <li>Increased range of total traded quantity and interval total traded quantity from unsigned long to long long and from long to long long respectively.</li> <li>Addition of Decoding Snapshot files and addition of Indicative Close Value in Indices Information</li> <li>Increased range of best buy quantity, best sell quantity and indicative traded quantity from long to long long.</li> <li>Addition of Indicative Close Price in Market Information</li> <li>Addition of FAQ Section</li> </ol>	28 August 2024
Version 1.22	Addition of 12 New Indices	08 November 2024
Version 1.23	Addition of 32 New Indices	29 November 2024
Version 1.24	Removal of ca1 in call auction market information	02 January 2025
Version 1.25	Addition of BOD - INAV Symbol mapping to NSE Symbol	27 February 2025
Version 1.26	Addition of 3 New Indices	06 March 2025
Version 1.27	Discontinuation of BHARATBOND-APR25 Index	08 April 2025
Version 1.28	<ol> <li>Added Permitted To Trade field in Security Information</li> <li>Addition of 1 question in FAQs section</li> </ol>	28 April 2025
Version 1.29	<ol> <li>Added SSEC identifier field in Security Information</li> <li>Added 1 question in FAQs section</li> </ol>	16 June 2025



# **Table of Contents**

1 Introduction	6
2 Connection Details	8
2.1 Structural diagram	8
2.2 Platform notes	
3 Overview	9
3.1 Products and "Product Root"	
3.2 Types of files generated	9
3.3 Compression	
3.4 Data Types	10
4 Data Details	
4.1 Market Information	11
4.2 Call Auction Market Information	11
4.3 Security Information	12
4.4 Bhavcopy Information	
5. Data Structure Details	13
5.1 Market Information	13
5.2 Indices Information	15
5.3 Security Information	17
5.4 BOD - INAV Symbol mapping to NSE Symbol	20
5.5 Bhavcopy Information	
5.6 Call Auction Market Information	22
6. File Transcode List	24
7. Index Token Numbers List	25
8. Notes	29
8.1 All prices are in Paisa	29
8.2 Timestamp	29
8.3 Call Auction Market	29
8.4 Market Maker & Buy Back Flag (MMBB Flag)	29
9. About SFTP (Secure File Transfer Protocol)	
9.1 SFTP on Linux platform	30
9.2 SFTP on Windows platform	32
9.3 Further support	
10. Decoding Snapshot files	
11. FAQs	
12 Contact Information	



## **CAPITAL MARKET - SNAPSHOT DATA**

## 1 Introduction

NSE Data & Analytics Ltd. disseminates NSEIL's suite of data products to various information agencies. It provides 7 different types of data products viz.


- 1. Real Time Data
- 2. Snapshot Data
- 3. End of Day Data
- 4. Corporate Data
- 5. Analytical Products data
- 6. Historical Data
- 7. Indicative NAV Data

The Realtime data and corporate data is a packet broadcast available for dissemination through feed, whereas the snapshot data, end of day data and historical data is available in the form of files. All these data products come under Infofeed application.

In Infofeed's Real Time Data product following sub-products are available

- 1. Market Feed (CM/FO/CD/WDM/COM/CBRICS/RFQ/ NSE IX Level 1)
- 2. Market Feed (CM/FO/CD/COM/NSE IX Level 2)
- 3. Market Feed (CM Level 3)
- 4. Index Feed
- 5. MTBT Feed (CM/CD/NSE IX)
- 6. Analytical Feed
- 7. Corporate Data
- 8. Single Stock






All clients who subscribe connect to the NIBIS (NSE Internet Based Information System) via the internet and need to utilize the SFTP protocol to download files. These files are generated in binary format on the server and at regular intervals. To gain access to the NIBIS server, clients must provide their server public key and public static IP address. Credentials are issued to clients and are valid for the duration specified in the agreement.



#### 2 Connection Details

Clients establish a connection to the NIBIS server over the Internet by utilizing the SFTP protocol through a designated public static IP address. Two NIBIS Production Servers operate in an active-active configuration. Each server can be accessed using two IP addresses, for ISP-level redundancy, as shown in the Structural Diagram. In case a server becomes inaccessible through both its IP addresses, the clients are required to fail-over to the other server.

## 2.1 Structural diagram



#### 2.2 Platform notes

- 1. The SFTP service can be simultaneously accessed through both redundant IP addresses on each server. This is to enable clients to access the servers in case of link failure.
- 2. There may be slight differences between the data disseminated by the two servers because of factors impacting sampling such as CPU clock skew, differences in routing of data, etc.
- 3. Time stamp on the files on the server is in 24-hour format.
- 4. Certain files are compressed using ZLIB (gzip). The files may be decompressed using the popular "gunzip" command on Unix/Linux systems. Tools to decompress these files are also freely available for Windows on the World Wide Web, Gzip for Windows and 7-Zip being popular examples.
- 5. The Exchange does not provide software or support for decompression, SFTP, etc.



## 3 Overview

## 3.1 Products and "Product Root"

The files are productized as per the generation frequency and are generated under their designated Product Roots on the server.

Product Root is the name of the top-level directory under which files for a product are generated.

Snapshot Frequency	Generation Frequency	<b>Product Root</b>
1 Minute Snapshot Product	Every 1 Minute	/CM01
2 Minute Snapshot Product	Every 2 Minutes	/CM02
5 Minute Snapshot Product	Every 5 Minutes	/CM05
15 Minute Delayed Snapshot Product	Every 1 Minute, delayed by 15 Minutes	/CM30

The Product Roots may further contain subdirectories as specified in the relevant sections of this document.

Clients may subscribe to product of their choice depending on their data snapshot frequency requirement.

Delayed data products are also available, wherein the files generated on regular 1 minute interval basis is delayed by the specified time.

## 3.2 Types of files generated.

The files are generated in binary format on the servers inside the corresponding type-wise sub-directories as specified in this document and can be broadly classified as follows:

Description	Frequency	
Market Information Files	At a specific interval	
Call-Auction Market Information Files	At a specific interval	
Security Information Files	Once a day (EOD)	
Bhavcopy Information Files	Once a day (EOD)	

For each trading day, files are generated in date-wise sub-directories prefixed with the full month name (MonthDDYYYY) as specified in the relevant sections of this document.

The files generated at fixed frequency are continuously numbered, starting from 1.



## 3.3 Compression

Certain files are compressed using ZLIB (gzip). The files may be decompressed using the popular "gunzip" command on Unix/Linux systems. Tools to decompress these files are also freely available for Windows on the World Wide Web, Gzip for Windows and 7-Zip being popular examples. It may be noted that the Exchange does not provide software or support for decompression.

## 3.4 Data Types

Data Type	Size In Bytes
CHAR	1
SHORT	2
LONG	4
DOUBLE	8
LONG LONG	8

Byte order - Little Endian All structures are pragma pack 1.



#### 4 Data Details

#### 4.1 Market Information

The Market information data files (MBP and Index) are generated on the server at regular intervals.

#### 4.1.1 Market Files

The \*.mkt ("\*" stands for a number) files contain market statistics and order information of the securities that are being traded during the last interval, including their open, high, low and close price. The file contains a single record for every security that is traded during that file interval. These files are generated during normal trading period To Close Session These files are generated in incremental count number on a trading day starting from 1 (for example, 1.mkt, 2.mkt and so on).

During the special trading session (mahurat trading), the first file will be generated after 15 minutes after the trading session starts.

Actual timing circular will be published by the exchange at the appropriate time.

## 4.1.2 Indices Files

The \*.ind ("\*" stands for a number) files contain NSEIL Indices information, including open, high, low and close index. Each file contains data of all indices of Exchange. These files are generated at regular intervals. These files are generated during normal trading period and during Close Session.

#### 4.2 Call Auction Market Information

#### 4.2.1 Call Auction Market

Multiple sessions of call auction market can be held in a trading day.

The call auction session shall consist of

- Order collection period (Order entry, modification and cancellation is allowed)
- Order matching period.

The computation of Indicative Opening Price (IOP) and matching logic shall be same as pre-open session for Cash Market segment. In call auction market, after matching period is over all the outstanding orders shall be cancelled.

This market consists of SME (Small & Medium Enterprise), IPO & Re-listed and illiquid securities.

The Buy back and market maker concept is not there in the market so the 'BBMM Flag' for buy and sell side will be sent as '0' (zero).



The Call Auction Market information data files are generated on the server with the extension \*.ca2.

The \*.ca2 ("\*" stands for a number) files contain market statistics and order information of the securities that are being traded in the call auction market in the last 1 minutes along with their open, high, low and close price. The file contains a single record for every security that is traded during that file interval. These files are generated during normal trading period. These files are generated in incremental count number on a trading day starting from 1.ca2.

For more details, please refer to NSE Circular CMTR23063

# 4.3 Security Information

The Securities.dat file is the master file that contains the updated information of all securities traded on the Exchange. The Security Token numbers uniquely identify each security listed on the NSE. The token number, Symbol and Series identify a single and unique security.

## 4.4 Bhavcopy Information

The bhavcopy information file is generated after trading hours. The file name is CMBhavcopy\_DDMMYYYY.txt. This file contains the End of the Day values of the securities that are traded on that trading day.

**Note**: Dummy symbols shall be received in MBP file in an affixed pattern where the last 7 character shall remain "**NSETEST**". Kindly ignore dummy securities trade volume and pricing information which is coming in MBP file.



# 5. Data Structure Details

# **5.1 Market Information**

Directory Path	/ <product root="">/DATA/<monthddyyyy></monthddyyyy></product>
File Name	*.mkt
Compression	Compressed (.gz)
Generation Frequency	At fixed intervals

Field Name	Data Type	Value	Brief Description
INFO HEADER			
Transcode	SHORT	Numeric	Transaction message number. This describes the type of message received or sent.
Timestamp	LONG	Numeric	This field should be set to numeric zero while sending to the host. This is used in host end.
Message Length	SHORT	Numeric	This field should be set to the length of the entire message, including the length of message header while sending to host.
Info Header	Length	8 Bytes	
INFO DATA	_		
Security Token	LONG	Numeric	This field contains the token number
Last Traded Price	LONG	Numeric	This field contains the price at which the latest trade in a security has taken place.
Best Buy Quantity	LONG LONG	Numeric	This field contains the total Buy Quantity
Best Buy Price	LONG	Numeric	The highest price for a Buy auction.
Best Sell Quantity	LONG LONG	Numeric	This field contains the total Sell quantity
Best Sell Price	LONG	Numeric	This is the lowest price for a Sell auction



Total Traded Quantity	LONG LONG	Numeric	This field contains the total quantity of a security traded on the current day
Average Traded Price	LONG	Numeric	This field contains the average price of all the trades in a security.
Open Price	LONG	Numeric	This field contains the open price of a security
High Price	LONG	Numeric	This field contains the highest trade price.
Low Price	LONG	Numeric	This field contains the lowest trade price.
Close Price	LONG	Numeric	This field contains the closing price of a security.
Interval High Price	LONG	Numeric	This field contains the highest trade price during interval
Interval Low Price	LONG	Numeric	This field contains the lowest trade price during interval
Interval Open Price	LONG	Numeric	This field contains the open price of a security during interval
Interval Close Price	LONG	Numeric	This field contains the closing price of a security during interval
Interval Total Traded Quantity	LONG LONG	Numeric	This field contains the total quantity of a security traded during interval
Indicative Close Price	LONG	Numeric	This field contains indicative close price of security. It will be sent in the last 30 minutes of normal session. Until then this will be sent as zero
Info Data Length		88 Bytes	



# **5.2 Indices Information**

<b>Directory Path</b>	/ <product root="">/DATA/<monthddyyyy></monthddyyyy></product>	
File Name	*.ind	
Compression	Compressed (.gz)	
Generation Frequency	At fixed intervals	

Field Name	Data Type	Value	Brief Description
INFO HEADER			
Transcode	SHORT	Numeric	Transaction message number. This describes the type of message received or sent.
Timestamp	LONG	Numeric	This field should be set to numeric zero while sending to the host. This is used in host end.
Message Length	SHORT	Numeric	This field should be set to the length of the entire message, including the length of message header while sending to host.
Info Header	Length	8 Bytes	
INFO DATA		•	
Index Token	LONG	Numeric	Token number of the index being updated.
Index Open Value	LONG	Numeric	This field contains the opening index value at the time of market open.
Current Index Value	LONG	Numeric	This field contains the online market index value at that instance of broadcast.
High Index Value	LONG	Numeric	This field contains the day's highest index value at the time of broadcast
Low Index Value	LONG	Numeric	This field contains day's lowest index value at the time of broadcast.



Percentage Change in Index	LONG	Numeric	This field contains the percent change in current index with respect to yesterday's closing index
Interval High Index Value	LONG	Numeric	This field contains today's high index in interval
Interval Low Index Value	LONG	Numeric	This field contains today's low index in interval
Interval Open Index Value	LONG	Numeric	This field contains the opening index value at interval
Interval Close Index Value	LONG	Numeric	This field contains today's closing index at interval
Indicative Close Value	LONG	Numeric	This field contains the indicative index close value.
Info Data Length		44 Bytes	



# **5.3 Security Information**

Directory Path	/ <product root="">/SECURITY/<monthddyyyy></monthddyyyy></product>	
File Name	Securities.dat	
Compression	Not compressed	
Generation Frequency	Once (EOD)	

Field Name	Data Type	Value	Brief Description
INFO HEADER	7.		·
Transcode	SHORT	Numeric	Transaction message number. This describes the type of message received or sent.
Timestamp	LONG	Numeric	This field should be set to numeric zero while sending to the host. This is used in host end.
Message Length	SHORT	Numeric	This field should be set to the length of the entire message, including the length of message header while sending to host.
Info Header	Length	8 Bytes	
INFO DATA	,	_	
Token Number	LONG	Numeric	Token number of the security being updated.
Symbol	CHAR [10]	Character	This field contains the Symbol of the security. (BSE exclusive securities shall have "\$" suffixed in the symbol)
Series	CHAR [2]	Character	This field contains the series of a security.
Issued Capital	DOUBLE	Numeric	Issue size of the security
Settlement Cycle	SHORT	Numeric	This field contains the period by which settlement between the parties should take place. This value is defaulted by the Exchange and cannot be modified by the user.



Freeze Percent	SHORT	Numeric	This field contains the volume freeze percent with respect to issued capital.
Credit Rating	CHAR [12]	Character	This field contains the credit rating of the security.
Issue Rate	SHORT	Numeric	Price of the issue.
Issue Start Date	LONG	Numeric	Date of issue of the security.
Issue Pdate	LONG	Numeric	Interest payment date
Issue Maturity Date	LONG	Numeric	Maturity date
Board Lot Quantity	LONG	Numeric	Regular lot size.
Tick Size	LONG	Numeric	Tick size/ Min spread size
Name of Company	CHAR [25]	Character	Name of the company
Record Date	LONG	Numeric	Date of record changed.
Expiry Date	LONG	Numeric	This field contains the last date of trading before any corporate action
No Delivery Start Date	LONG	Numeric	Date from when physical delivery of share certificates is stopped for book closure
No Delivery End Date	LONG	Numeric	No delivery end date.
Book Closure Start Date	LONG	Numeric	Date at which the record books in the company for shareholder names start.
Book Closure End Date	LONG	Numeric	Date at which the record books in the company for shareholder names end
SSEC	SHORT	Numeric	This is used as an identifier for different market securities.  0 - Not used.  1 - Securities (except SME) eligible in Normal market and Odd Lot markets  2 - IPO Session is being held security (including SME).  3 - Re-list Session is being held security (including SME).  4 - Illiquid security eligible for Call Auction session (CA2) (including SME).  5 - SME securities eligible in normal market.



Permitted To Trade	SHORT	Numeric	0 - Listed but not permitted to trade 1 - Permitted to trade 2 - BSE listed (BSE exclusive security will be available, however trading on the same will be allowed only in case of outage at BSE)
Info Data Le	ength	115 Bytes	

**Note**: Settlement Cycle can have two values; either 0 or 1. Value of 0 means Settlement Cycle of the security is T+0 and 1 means Settlement Cycle of the security is T+1.



# 5.4 BOD - INAV Symbol mapping to NSE Symbol

This file provides a mapping of security symbol to Indicative NAV (INAV) symbol. It contains data that links the symbol of security to its corresponding INAV symbol

<b>Directory Path</b>	/ <product root="">/SECURITY/<monthddyyyy></monthddyyyy></product>
File Name	Inav.dat
Compression	Not compressed
Generation Frequency	Once (BOD)

Field Name	Data Type	Value	Brief Description
INFO HEADER			
Transcode	SHORT	Numeric	Transaction message number. This describes the type of message received or sent.
Message Length	SHORT	Numeric	This field should be set to the length of the entire message, including the length of message header while sending to host.
Info Header Lengtl	1	4 Bytes	
INFO DATA			
INAV Symbol	CHAR [10]	Character	Mapped INAV Symbol with Security symbol
Token Number	LONG	Numeric	Token for NSE symbol is
TOKETI NUTIDEI	LONG	Numeric	Unique identifier for the securities listed on NSE.
Symbol	CHAR [10]	Character	



# **5.5 Bhavcopy Information**

This data file does not contain the Header field.

Directory Path	/ <product root="">/BHAVCOPY/<monthddyyyy></monthddyyyy></product>	
File Name	CMBhavcopy_DDMMYYYY.txt	
Compression	Not compressed	
Generation Frequency	Once (EOD)	

Field Name	Data Type	Value	Brief Description
INFO DATA			
Symbol	CHAR [10]	Character	This field contains the Symbol of the security.
Series	CHAR [2]	Character	This field contains the series of a security.
Trade High Price	CHAR [10]	Character	This field contains the highest trade price.
Trade Low Price	CHAR [10]	Character	This field contains the lowest trade price.
Opening Price	CHAR [10]	Character	This field contains the indicative opening price (IOP) of a security for order collection period session and Final Open Price of a security in matching period.
Closing Price	CHAR [10]	Character	This field contains the closing price of a security
Previous Close Price	CHAR [10]	Character	This field contains the previous day's closing price of the security
Total Traded Quantity	CHAR [12]	Character	This field contains the total quantity of a security traded on the current day
Total Traded Value	CHAR [25]	Character	This field contains the total value of the securities traded
Carriage Return/ Line Feed	CHAR [2]	Character	Carriage Return/ Line Feed
Info Data Le	ength	101 Bytes	



# **5.6 Call Auction Market Information**

Directory Path	/ <product root="">/DATA/<monthddyyyy></monthddyyyy></product>	
File Name	*.ca2: Call Auction Market	
Compression	These files are compressed (.gz)	
Generation Frequency	At fixed intervals	

Field Name	Data Type	Value	Brief Description
INFO HEADER			
Transcode	SHORT	Numeric	Transaction message number. This describes the type of message received or sent.
Timestamp	LONG	Numeric	This field should be set to numeric zero while sending to the host. This is used in host end.
Message Length	SHORT	Numeric	This field should be set to the length of the entire message, including the length of message header while sending to host.
Info Header	Length	8 Bytes	
INFO DATA	_		
Security Token	LONG	Numeric	Security Token
Last Traded Price	LONG	Numeric	During order collection as well as during matching, it contains LTP of the security
Best Buy Quantity	LONG LONG	Numeric	Best buy side limit order, price and quantity information.
Best Buy Price	LONG	Numeric	For BBMM flag refer 9.3
Buy BBMM Flag	CHAR [1]	Character	Market Maker & Buy Back Flag (MMBB Flag)
Best Sell Quantity	LONG LONG	Numeric	Best sell side limit order, price
Best Sell Price	LONG	Numeric	and quantity information.
Sell BBMM Flag	CHAR [1]	Character	For BBMM flag refer 9.3  Market Maker & Buy Back Flag (MMBB Flag)



Total Traded Quantity	LONG LONG	Numeric	This field contains the total quantity of a security traded on the current day
Indicative Traded Quantity	LONG LONG	Numeric	During order collection period this field will contain Indicative Equilibrium Quantity
Average Traded Price	LONG	Numeric	During order collection period it will always be zero. Once matching starts it will contain the Average Trade Price.
First Open Price	LONG	Numeric	During first call auction order collection period this field will be zero. Once matching starts it will contain the First Trade Price. Once updated for all subsequent call auctions it will not change. This field may remain zero till the first trade happens
Open Price	LONG	Numeric	This field contains the indicative opening price (IOP) of a security for order collection period session and Final Open Price of a security in matching period.
High Price	LONG	Numeric	During order collection period it will always be zero. Once matching starts it will be updated.
Low Price	LONG	Numeric	During order collection period it will always be zero. Once matching starts it will be updated.
Close Price	LONG	Numeric	This field contains the closing price of a security.
Filler	LONG	Numeric	Zero
Info Data L	ength	78 Bytes	



# **6. File Transcode List**

Details	Transcode number
MARKET PRE-OPEN INFORMATION	3
MARKET STATISTICS INFORMATION	5
NEW SECURITY INFORMATION	7
MARKET INDICES INFORMATION	8
CALL AUCTION MARKET INFORMATION	9
INAV SYMBOL MAPPING TO NSE SYMBOL	10



## 7. Index Token Numbers List

The Indices generated during the trading cycle are identified by Index names. The feed shall not bear these names. Instead, a unique Index token shall identify each index. The clients need to decode the index files by providing following combinations of the Index Token number and Index Name.

Index Token	Index Name
0	NIFTY 50
1	NIFTY IT
2	NIFTY NEXT 50
3	NIFTY50 USD (NOT IN USE)
4	NIFTY BANK
5	NIFTY MIDCAP 100
6	NIFTY 500
7	NIFTY 100
8	NIFTY MIDCAP 50
9	NIFTY REALTY
10	NIFTY INFRA
11	INDIA VIX
12	NIFTY ENERGY
13	NIFTY FMCG
14	NIFTY MNC
15	NIFTY PHARMA
16	NIFTY PSE
17	NIFTY PSU BANK
18	NIFTY SERV SECTOR
19	NIFTY SMLCAP 100
20	NIFTY 200
21	NIFTY AUTO
22	NIFTY MEDIA
23	NIFTY METAL
24	NIFTY DIV OPPS 50
25	NIFTY COMMODITIES
26	NIFTY CONSUMPTION
27	NIFTY FIN SERVICE



28	NIFTY50 DIV POINT	
29	NIFTY100 LIQ 15	
30	NIFTY CPSE	
31	NIFTY GROWSECT 15	
32	NIFTY50 TR 2X LEV	
33	NIFTY50 PR 2X LEV	
34	NIFTY50 TR 1X INV	
35	NIFTY50 PR 1X INV	
36	NIFTY50 VALUE 20	
37	NIFTY100 QUALTY30	
38	NIFTY MID LIQ 15	
39	NIFTY PVT BANK	
40	NIFTY GS 8 13YR	
41	NIFTY GS 10YR	
42	NIFTY GS 10YR CLN	
43	NIFTY GS 4 8YR	
44	NIFTY GS 11 15YR	
45	NIFTY GS 15YRPLUS	
46	NIFTY GS COMPSITE	
47	NIFTY50 EQL WGT	
48	NIFTY100 EQL WGT	
49	NIFTY100 LOWVOL30	
50	NIFTY ALPHA 50	
51	NIFTY MIDCAP 150	
52	NIFTY SMALLCAP 50	
53	NIFTY SMALLCAP 250	
54	NIFTY MIDSMALLCAP 400	
55	NIFTY200 QUALITY 30	
56	NIFTY FINSRV25 50	
57	NIFTY ALPHALOWVOL	
58	NIFTY200MOMENTM30	
59	NIFTY100ESGSECLDR	
60	NIFTY HEALTHCARE	
61	NIFTY CONSUR DURBL	



62	NIFTY OIL AND GAS	
63	NIFTY500MULTICAP	
64	NIFTY LARGEMID250	
65	NIFTY MID SELECT	
66	NIFTY TOTAL MKT	
67	NIFTY MICROCAP250	
68	NIFTY IND DIGITAL	
69	NIFTY100 ESG	
70	NIFTY M150 QLTY50	
71	NIFTY INDIA MFG	
74	NIFTY200 ALPHA 30	
75	NIFTYM150MOMNTM50	
76	NIFTY TATA 25 CAP	
77	NIFTY MIDSML HLTH	
78	NIFTY MULTI MFG	
79	NIFTY MULTI INFRA	
80	BHARATBOND-APR25(NOT IN USE)	
81	BHARATBOND-APR30	
82	BHARATBOND-APR31	
83	BHARATBOND-APR32	
84	BHARATBOND-APR33	
85	Nifty Ind Defence	
86	Nifty Ind Tourism	
87	Nifty Capital Mkt	
88	Nifty500Momentm50	
89	NiftyMS400 MQ 100	
90	NiftySml250MQ 100	
91	Nifty Top 10 EW	
92	NIFTY AQL 30	
93	NIFTY AQLV 30	
94	NIFTY EV	
95	NIFTY HIGHBETA 50	
96	NIFTY NEW CONSUMP	
97	NIFTY CORP MAATR	



98	NIFTY LOW VOL 50
99	NIFTY MOBILITY
100	NIFTY QLTY LV 30
101	NIFTY SML250 Q50
102	NIFTY TOP 15 EW
103	NIFTY100 ALPHA 30
104	NIFTY100 ENH ESG
105	NIFTY200 VALUE 30
106	NIFTY500 EW
107	NIFTY MULTI MQ 50
108	NIFTY500 VALUE 50
109	NIFTY TOP 20 EW
110	NIFTY COREHOUSING
111	NIFTY FINSEREXBNK
112	NIFTY HOUSING
113	NIFTY IPO
114	NIFTY MS FIN SERV
115	NIFTY MS IND CONS
116	NIFTY MS IT TELCM
117	NIFTY NONCYC CONS
118	NIFTY RURAL
119	NIFTY SHARIAH 25
120	NIFTY TRANS LOGIS
121	NIFTY50 SHARIAH
122	NIFTY500 LMS EQL
123	NIFTY500 SHARIAH
124	Nifty500 Qlty50
125	Nifty500 LowVol50
126	Nifty500 MQVLv50

# List of Dummy indices:

Index Token	Index Name	
72	INDEX1 NSETEST	
73	INDEX2 NSETEST	



#### 8. Notes

## 8.1 All prices are in Paisa.

All price fields are multiplied by 100 and this implies that the prices received must be divided by 100.

For India VIX index, the index value is of four decimal precisions. Hence, the values received for the India VIX index must be divided by 10000.

## 8.2 Timestamp

The timestamp is the number of seconds elapsed from midnight Jan 1, 1980.

#### 8.3 Call Auction Market

Call auction Market includes Periodic Call auction session for illiquid scrips and call auction in pre-open2 session (IPO and Re-listed securities).

## 8.4 Market Maker & Buy Back Flag (MMBB Flag)

For the probable values of BBMM flag refer the table given below

- 1. **Sell BBMM Flag:** Buy Back or Market Maker order at that price point.
- 2. **Buy BBMM Flag:** Buy Back or Market Maker order at that price point.

Buy_Back_Order Exists	Market_Maker_Order Exists	Sell BBMM Flag/ Buy BBMM Flag
No	No	<b>`</b> 0′
Yes	No	`1′
No	Yes	`2′
Yes	Yes	`3′

E.g. If Buy Back and Market Maker orders exist at price point then the above fields will contain '3'.



## 9. About SFTP (Secure File Transfer Protocol)

The file transfer takes place over SFTP (Secure FTP) protocol over the Internet.

The client is required to provide the SSH RSA Public Key of their machine for receiving login details and public static IP Address to access the server.

The following details will be provided once the request is processed by the Exchange:

- Server IP
- SSH Service Port
- User ID
- · File Path

General information on SFTP has been provided in the following sections for popular OS platforms.

## 9.1 SFTP on Linux platform

The OpenSSH suite, which comes pre-installed in most Linux distributions, can be used for transferring files securely using SFTP.

The SSH key-pair is generally generated in the ".ssh" directory in the user's home directory.

It is highly recommended that you consult your systems administrator to generate/locate the key-pair and set up SFTP for you.

Continue reading for information on how to generate the key-pair.

## 9.1.1 Generation of the SSH RSA key-pair on Linux

- Generate the new key-pair with following command: ssh-keygen -t rsa -C "user@host"
- You will receive the following prompt:
  Generating public/private rsa key pair.
  "Enter file in which to save the key".
  Press the Enter to continue with the defaults.

You will receive the following prompt:
Enter file in which to save the key.
(/host/users/user/.ssh/id\_rsa):
Press the Enter to continue with the defaults.



 If a file already exists with the same name, then you will receive the following prompt:

```
/host/users/user/.ssh/id_rsa already exists.
Overwrite (y/n)?
```

Type "y" and press Enter to overwrite.

• You will be prompted to enter a passphrase as follows: Enter passphrase (empty for no passphrase):

Press Enter to continue without a passphrase.

Your will be prompted to re-enter the passphrase:

Enter same passphrase again:

Press Enter again to continue without a passphrase.

 After you enter a passphrase, you will be presented with the "Fingerprint" (or ID) of your SSH key.

#### It will look something like this:

```
Your identification has been saved in /host/users/user/.ssh/id_rsa.
Your public key has been saved in /host/users/user/.ssh/id_rsa.pub.
The key fingerprint is:
87:c4:85:90:91:16:39:de:c2:26:49:4a:b3:38:80:97 user@host
```

After generating public key, user needs to share the Public Key file with exchange for requesting the credentials.

**NOTE:** In above steps the words "host" and "user" are used to represent the host name and username of the machine. This is used for demo purpose only. The same will differ as per your server and usernames.

# 9.1.2. SFTP Login

Login to the Exchange Server over SFTP using the following command: sftp -o PORT=6010 remote user@remote host

Where remote user is the User ID provided to you by the Exchange upon sharing your Public Key and remote host is the Exchange Server IP. You should get the SFTP prompt as below, upon successful login:

```
"The system is to be used for AUTHORIZED business purpose only.

All activities on this system are being monitored. Unauthorized access
to this system may be subject to legal action, and/or prosecution"
```



## 9.1.3 Fetching files over SFTP

The SFTP "get" command may be used at the SFTP prompt for fetching the files while logged into the host over SFTP.

## 9.1.4 Ending the SFTP session.

The SFTP "bye" command may be used for terminating the session.

## 9.1.5 SFTP commands help.

Help may be obtained with SFTP commands by typing the "help" command at the SFTP prompt.

## 9.2 SFTP on Windows platform

## 9.2.1 Generation of the SSH RSA key-pair on Windows

This guide explains how to generate the SSH RSA key-pair using the PuttyGen application.


Download the PuttyGen application (freely available on the Internet). Then follow these steps to generate the key-pair:

• Start the PuttyGen application.
You will be presented with a dialog which looks something like this:





- Select "SSH2RSA" with 2048-bit size or greater.
- · Press the "Generate" button.
- After generating the key, you will be shown the screen below.
   Keep the "Key passphrase" and "Confirm passphrase" as blank.



- Create a blank file with the name "id\_rsa.pub".
   This will be the public key file which will be populated with your Public Key and shared with the Exchange.
- Copy the public key content as presented on the screen (selected area in the below screenshot) and paste into newly created public key file (id\_rsa.pub) and save the file.
- Share this Public Key File (id\_rsa.pub) with the Exchange when requesting for SFTP credentials.

#### 9.2.2 SFTP Client Software on Windows

There are multiple SFTP Client Programs (paid for and free) available for transferring files over SFTP.

One such software is WinSCP, available for free from the WinSCP website.



This program is intuitive, user friendly and can be used in interactive mode (GUI) as well as from the command line (for automation/batch processing).

Information on using WinSCP can be found on the WinSCP website.

## 9.3 Further support

Apart from the above guide, many of the online resources can be referred on the World Wide Web for more information on how to set up and use SFTP at the Client's site on various OS platforms.

**Note:** This "About SFTP" section is intended as a guide used to understand and become familiarized with this transfer protocol.

It may be noted that the Exchange does not provide SFTP software or support for configuring and using SFTP at Client site.



## 10. Decoding Snapshot files

Please refer following C snippet for decoding snapshot files:

```
HEADER header
                  = \{0\};
DATA MBP data mbp = \{0\};
DATA CA2 data ca2 = \{0\};
DATA IND data ind = {0};
TRAILER trailer
                 = \{0\};
int main()
gzFile fpFile = gzopen("1.mkt.gz", "rb");
while
     int nRetVal = gzread(fpFile, &header ,sizeof(HEADER));
     if(header.nTranscode == MBP)
           gzread(fpFile, &data_mbp, sizeof(data_mbp));
           print(&data mbp);
     }
     else if(header.nTranscode == CA2)
     { gzread(fpFile, &data_ca2, sizeof(data_ca2)); }
     else if(header.nTranscode == IND)
     { gzread(fpFile, &data_ind, sizeof(data_ind)); }
     nRetVal = gzread(fpFile, &trailer, sizeof(TRAILER));
     if(gzeof(fpFile) == 1)
     {
                 printf("EOF reached ");
                 break;
     }
 }
gzclose(fpFile);
void print(DATA_MBP *data_mbp)
printf("Security Token = %d ,Last Traded Price = %d,
Best Buy Quantity = %d, ..... ,data_mbp->SecurityToken,
 data_mbp->LastTradedPrice,data_mbp->BestBuyQuantity);
```



## 11. FAQs

1) Download of files through SFTP was working till last week, suddenly our connection to sftp is failing. How do we resolve it?

If using SFTP on Windows, please ensure you are using the latest version of Winscp or any other equivalent tool.

If you are using SFTP programmatically or through an API, please ensure you **don't use the following cipher**:

- diffie-hellman-group-exchange-sha1
- diffie-hellman-group14-sha1
- diffie-hellman-group1-sha1
- 2) How do we decode compressed \*.mkt and \*.oi files?

Please refer <u>section 10</u> for decoding Snapshot Files, which involves decompression and reading of \*.mkt and \*.oi files.

3) How to identify BSE listed securities?

BSE exclusive securities shall have "\$" suffixed in the associated symbol field at NSE. Below are the examples.

Symbol at BSE	Symbol at NSE (up to 10 characters)
SYMBOLABCDE	SYMBOLABC\$
SYMBOLKLMN	SYMBOLKLM\$
SYMBOLAB	SYMBOLAB\$

All symbol fields in security packets shall contain BSE exclusive securities along with NSE securities.

4) Why are the mkt files generated empty between 09:10:00 to 09:15:00?

The mkt files are generated empty between 09:10:00 and 09:15:00 because this period is dedicated to order matching in the NSE pre-open session. During this time:

- No actual trades occur, as the exchange is determining the equilibrium price.
- Since no transactions take place, there are no trade confirmations or price updates to record.



• As a result, the mkt files remain empty, reflecting the absence of trading activity.

This is an expected behaviour in the pre-open session, ensuring a smooth transition into the normal trading session at 9:15 AM.



# **12. Contact Information**

Name	Email	Contact Number
Business & Technical	marketdata@nse.co.in	+91-22-26598385
Support		